Perform the Extraction Transformation and Loading (ETL) process to construct the database in the SQL server.

Software requirements: SQL SERVER 2012 FULL VERSION itvo(SQLServer2012SP1-FullSlipstream-ENU-x86) itvoyagers in itvoyagers in

Steps to install SQL SERVER 2012 FULL VERSION (SQLServer2012SP1-FullSlipstream-ENU-x86) are given in my previous post.

Step 1:

itvoopen SQL Server Management Studio to restore backup file s.in itvoyagers.in



Step 2: Right click on Databases \rightarrow Restore Database



Step 3: Select Device \rightarrow click on icon towards end of device box

	Restore Database -				- 🗆 ×	
itvo	🐼 No backupset selected to be rest	red.				lers in
10.000	Select a page	Script 👻 🎼 Help				Part and a 111
	 ☆ General ☆ Files ☆ Options 	Source Database: Device:			~ 	
itvo		Database: Destination Database: Restore to: Restore plan Backup sets to restore: Destage Name	- Secure Detabate Detabate		Timeline	ers.in
itvo	Connection	Hestore Name Component Type	e Server Database Position	Hirst LSN Last LSN Ch	ECKPOINT LSIN Full L	ers in
	LAPTOP-Q7CMJ9K1\HP [LAPTOP-Q7CMJ9K1\Gauri] View connection properties Progress					
	Ready	٢		<u></u>	erify Backup Media	
itvo				OK Cancel	Help	ers.in

	Select backup devices				\times
	Specify the backup media and	its location for your restore operation.			
itvo	Backup media type:	File	~		
	Backup <u>m</u> edia:			<u>A</u> dd	
				<u>R</u> emove	
				Contents	
tvo					
1. T. 1.					
		Ōĸ	Cancel	Help	
					_==

itvostep 4: Click on Add > Select path of backup files voyagers.in itvoyagers.in

	🔋 Locate Backup File - LAPT	OP-Q7CMJ9K1\H	Р	_		×	
	Backup file location:	C:\BI\adventure	3	adventure		٩,	
itvo	C: C: C: C: C: C: C: C: C: C:	^	AdventureWorks2012.bak AdventureWorksDW2012.bak				voyagers.in
itvo	bnb events 2018 brb cfrbackup-MPYJCZJE cfrbackup-TWFQJGQ cfrbackup-TWFQJGQ config.Msi config.Msi config.Msi documents and Settin config.DW	E IL ngs					voyagers.in
itvo	 Intel <li< td=""><td>, v</td><td></td><td></td><td></td><td></td><td>voyagers.in</td></li<>	, v					voyagers.in
itvo	File <u>n</u> ame:		Back	up Files(*.bak;*.tm) OK	<u>C</u> ancel	~	voyagers.in

Step 5: Select both files at a time

	🔋 Locate Backup File - LAPT	OP-Q7CMJ9K1\H	IP				\times	
itvo	Backup file location:	C:\BI\adventure		adventure			4	voyagers.in
itvo	C: SRecycle.Bin C: AMD AMD AMD AMD AMD AMD Config.Msi Co	L Igs	AdventureWorks2012.bak AdventureWorksDW2012.	oak.				voyagers.in
itvo	MyDrivers MyDrivers PerfLogs	> entureWorks2012.t	bak" "AdventureWorksDW20	Backup Files(*.bak;*.tr			~	voyagers.in
				<u>о</u> к	<u>C</u> ar	ncel		

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

Step 6 : Click ok and in select backup devices window Add both files of / gers.in AdventureWorks

	-	Select backu	p devices		×	
itvo	Specify the backup media	and its location for your n	estore operation.		ers.in	itvoyagers.in
	<u>B</u> ackup media type: Backup <u>m</u> edia: D:\Bl\adventure\Adventu	File	v			
itvo	D:\BI\adventure\Adventu	ureWorksDW2012.bak		Remove Contents	gers.in	itvoyagers.in
itvo					;ers.in	itvoyagers.in
itvo			<u>O</u> K Ca	ncel Help	gers.in	itvoyagers.in
	Ready Select a page General Files Files	Restore Data	ibase - AdventureWo	rks2012	- - ×	
itvo		Database: Device: Database: Destination Database: Restore to:	D:\Bl\adventure\Adver AdventureWorks2012 AdventureWorks2012 The last backup taken	itureWorks2012.bak, D:\Bl\adven 06 November 2017 19:51:36)	ture\Adventure	voyagers.in
itvo	Connection	Restore plan Backup sets to restore: Restore Name I	012-Full Database Backup	Component Type Server Database Full BARBKES	Datab S24\MSSQL2012RTM Adve	voyagers.in
itvo	MODEL002\MODEL [MODEL002\Student]					vovagers in
1140	View connection properties Progress Done Done	<		ОК	∑erify Backup Media Cancel Help	voyuger 3.m
itvo	yagers.in itv	oyagers.in	itvoyag	ers.in itvo	yagers.in	itvoyagers.in

itvo	· · ·		Restore Dat	abase - AdventureWo	rks2012					×	voyagers.in
	Restoring: AdventureWorks2012-Ful	I Database Bac	:kup						100%	Stop	
	Select a page	Script 🕞	📑 Help								
	General Files Options	Source -	itabase:							-	
		D	evice:	D:\BI\adventure\Adven	tureWorks20	12.bak, [):\Bl\adventu	e∖Adventu	JIFE		
itvo			D <u>a</u> tabase:	AdventureWorks2012						~	vovagers in
1.000		Destinat	ion —							-	rojoge s.m
		Datak	pase:	AdventureWorks2012						•	
		<u>R</u> esto	ore to:	The last backup taken (06 November	2017 19	9:51:36)]	<u>T</u> imeline		
		Restore	plan							-	
		Ba <u>c</u> kup	sets to restore:							_	
		Restore	Name		Component	Туре	Server		Data	ab	
itvo			AdventureWorks	2012-Full Database Backup	Database	Full	BARBKESS24	I/MSSQL2		ve	voyagers.in
	Connection										
	MODEL002\MODEL [MODEL002\Student]										
itvo	View connection properties										vovagers in
10.000	Progress			_						,	rojoge s.m
	0							<u>V</u> erify	Backup Media	3	
						OK	С	ancel	Help		



itvoŞteg Zr OpeniSQb Şerver Data Tools/agers.in itvoyagers.in itvoyagers.in

Select File \rightarrow New \rightarrow Project \rightarrow Business Intelligence \rightarrow Integration Services Project & give appropriate project name.

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in



itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvo	,	New Project	? ×	voyagers.in
	▶ Recent	NET Framework 4.5.2 - Sort by: Default - 📰 🧮	Search Installed Templates (Ctrl+E)	
	Installed Tompleter	FD Analysis Services Multidimensional and Data Mini Business Intelligence	e Type: Business Intelligence	1
	Business Intelligence Analysis Services	Integration Services Project Business Intelligence	e performance data integration and workflow solutions, including extraction, transformation and loading (FTL)	
itum	Integration Services Reporting Services	Report Server Project Wizard Business Intelligence	e operations for data warehousing.	vovagors in
ILVO	 Visual C# Visual Basic 	Report Server Project Business Intelligence	e	voyagers.m
	Visual F# ▷ Visual C++ SQL Server Python ▷ JavaScript ▷ TypeScript	Analysis Services Tabular Project Business Intelligence	e	
itvo	Game Build Accelerator ▷ Other Project Types			voyagers.in
	© Online	Click here to go online and find templates.		
	Name: PracticeService	Project1	Rrowse	
itvo	Solution name: PracticeService	Project1	Create directory for solution Add to Source Control OK Cancel	voyagers.in
6	٩	Start Page - Microsoft Visual Studio (Not Responding)	- 0 -	
	File Edit View Debug Team Tools Test	Analyze Window Help -	Sign in	
itvo	Start Page + × Visual Studio	Discover what's new in Professional 2015 Learn about new features in Professional 2015 See what's new in the .NET Framework Explore what's new in Visual Studio Team Services	Solution Explorer V	voyagers.in
	Start New Project Open Project Open from Source Control	Ready to Cloud-power your experience? New on Microsoft Platforms Connect to Azure () Microsoft Visual Studio		
itvo	Recent ConsoleApplication1	News Creating project 'PracticeServices Project' We are unable to dow Click to retry		voyagers.in
	Keep page open after project	Featured Videos	•	
	Output Show output from:	• 원 월 월 월] (3)	* # ×	
itvo				voyagers.in
c	Creating project 'PracticeServices Project1'		Solution Explorer Team Explorer Class View	

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

Itvo Environment consists of SQL Server Integration Services(SSIS) Itvoyagers.in



Step 8: Right click on Connection Managers in solution explorer and click on New Connection Manager.

itvoAddSSISiconnection_manageriwindow_appears.itvoyagers.in itvoyagers.in



itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvostep 9: Select OLEDB Connection Manager and Click on Add 5. in itvoyagers.in

	2		Add SSIS Connection Manager	-		×		
		Select the type of o	connection manager to add to the package.					
itvo		<u>Connection manage</u>	ger type:				's în	itvovagers in
1.5.1.52		Туре	Description	File Na	File V 1	•		1010 10801 2.111
		DQS	Connection manager for DQS server	Micros	13.0.0			
		EXCEL	Connection manager for Excel files	C:\Pro	2015.			
		FILE	Connection manager for files	C:\Pro	2015.			
		FLATFILE	Connection manager for flat files	C:\Pro	2015.			
		FTP	Connection manager for FTP connections	C:\Pro	2015.			
itvo		Hadoop	Connection manager for Hadoop	Micros	13.0.(hs în	itvovagers in
1.0.0.000		НТТР	Connection manager for HTTP connections	C:\Pro	2015.			
		MSMQ	Connection manager for the Message Queue t	Micros	13.0.(
		MSOLAP100	Connection manager for Analysis Services con	C:\Pro	2015.			
		MULTIFILE	Connection manager for multiple files	C:\Pro	2015.			
		MULTIFLATFILE	Connection manager for multiple flat files	C:\Pro	2015.			
		ODATA	Connection Manager for OData services	Micros	13.0.(
itsen		ODBC	Connection manager for ODBC connections	C:\Pro	2015.		ne îm	ituouagers in
LCA CA		OLEDB	Connection manager for OLE DB connections	C:\Pro	2015.		20111	n.voyagers.m
		SMOServer <	Connection manager for SOL Server transfer ta	Micros	13.0.(`	1		
			<u>A</u> dd	Ca	incel			

Step 10: Configure OLE DB Connection Manager window appears -> Click on New

	Configure OLE I	DB Connection Manager 🛛 🗕 🗖	×
itvo	To create a connection manager based on previous and then click OK. To create a new connection man	y defined connection information, select a data connection, ager, click New.	ers.in itvoyagers.in
	Data connections:	Data connection properties:	
itvo		Property Value	gers.in itvoyagers.in
itvo			ers.in itvoyagers.in
itvo		Ngw Delete OK Cancel] gers.in itvoyagers.in

Step 11: Select Server name(as per your machine) from drop down and Bers.in database name and click on Test connection.

Ş		Connection Manager			×
Pr <u>o</u> vider: Na	ative OLE DB\SQL Server	Native Client 11.0		•	vovager
\bigcirc	Server name:				, in o yogen.
	MODEL002\MODEL		~	<u>R</u> efresh	
	Log on to the serv	er			1010700
1 # <i>2</i>	<u>Authentication:</u>	Windows Authentication		~	voyager
All	<u>U</u> ser name:				
	<u>P</u> assword:				
		Save my password			voyagers
	O Attac <u>h</u> a data Logical nam	base file: e:		<u>B</u> rowse	10,080
					voyager
Test Conne	ction	ОК	Cancel	Help	
f test conn	ection succee	ded click on OK.			

itvo	Test connection succeeded.		vovagers in
11.00	B	ОК	

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

Step 12: Click on OK

itvo	8	Configure OLE DB Connection Ma	anager –		in itvoyagers	sin
	To create a connection manage and then click OK. To create a r	er based on previously defined connection new connection manager, click New.	information, select a data conr	nection,		
itvo	Data connections:	Da <u>t</u> a connectior	n properties:		in itvovagers	: în
1	MODEL002\MODEL.Adventure	Works2012 Property	Value		in itrojogera	C=111
		Initial Catalog Integrated Se Provider	AdventureWorks2012 SSPI SQLNCLI11.1			
itvo				5	in itvoyagers	s.în
•						
itvo					in itvoyagers	sin
			N <u>e</u> w Delet	e		
itvo			OK Ca	ncel	in itvoyagers	sin

Connection is added to connection manager

	PracticeServices Project1 - N Eile Edit View Project Build O - O 1 10 - C 11 - N	Aicrosoft Visual Studio Rebug Team ŞSIS Iools Teşt Analyze Window Help <* - Developi - Default - ▶ Start - p= -	▼ 3 & Quick Launch (CtrI+Q) P - 6 × Sign in ■
itvo	SSIS Toolbox ✓ II × Favorites ▲ ▲ Data Flow Task ▲ Data Flow Task □ Data Flow Task □ Data Flow Task □ Common ④ Analysis Services Proce ● Bulk Insert Task ■ Data Profiling Task	Package.dtsx[Design] ≈ X Beg Control Flow 🚰 Data Flow 🕜 Parameters 🗹 Event Handlers 🤃 Package Explorer	Solution Explorer
itvo	 Checute Process Task Checute Process Task Checute Process Task File System Task File System Task Hadoop File System Task Hadoop File System Task Hadoop File Task Script Task Script Task 	Connection Manages	A Stable Package Package Parts Package Parts Package Parts Miscellaneous VOYBBERS.IF Tabular Model Solution Explore: Class View Properties Prosection
itvo	*♥ Web Service Task ↓ XML Task Acure Containers ✓ Information Orag a toolbox item to SSIS Designer to use it.	Output Show output from:	MODEL002_MODELAdventureWorks2012.comgr Cocation Cocation File Name File Name File Name File Name
	This item does not support previewing		↑ Publish

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvostep 13: Drag and drop Data Flow Task in Control Flow tab 15. in itvoyagers.in

	PracticeServices Project1 - Mi <u>Eile Edit View Project Build</u> © - © 🟠 - 🏠 🗳 🗳 / 🤊 - 🤇	crosoft Visual Studio Jebug Team_ Format SSIS Iools Teat Analyze Window Help * - Develope - Default - Distart - Bill -	T	Quick Launch (Ctrl+Q)	nin 🛃	
itvo	SSIS Torditer Tavorites Tavorites Communication	But Flow Task	● (用)	Solution Explorer Search Solution Explorer (Ctrl+:) Solution PracticeServices Project1' (1 project) Project.params Connection Managers MODEL02_MODELAdventureWorks SIS Packages	- ₽ × ϼ -	voyagers.in
itvo	Execute Process Task Xr Expression Task Pir Eystem Task Pir Task Hadoop File System Task Hadoop File System Task Hadoop Pig Task Gript Task Script Task Script Task Web Service Task	Connection Managers		B. Package.dts: ▲ Package.Parts Control Flow Miscellaneous Tabular Model Solution Explo Team Explorer Class View Properties Data Flow Task Task		voyagers.in
itvo	↓ 3 XML Task ▶ Azure ▲ Containers ♥ Data Flow Task ♥ Obta Flow Task ♥ Obta Flow Task ♥ Data Flo	Output Show output from: 🔹 👘 🔤 👋 🔀 🔀	• # ×	ForceExecutionValue False Identification Description Data Flow Task ID (02F32700-8DF1-4A88 Name Data Flow Task PackanePath \Packane\Data Flow Task Specifies the name of the object.	E-A77E-B Fack	voyagers.in

Step 14: Drag OLE DB Source from Other Sources and drop into Data Flow CIS. In tab

itua	PracticeServices Project1 - M Eile Edit View Project Build Image:	icrosoft Visual Studio Debug Team Fgrmat SSIS Iools Test Anałyze Window Help ₹ - Developr• Default • ▶ Start • ﷺ -	۲	🖪 🎜 Quick Launch (Ctrl+Q) 🔎	- ⊡ × Sign in	unungers in
ITVO	SSIS Toolbox + 1 × Data Mining Query Data Mining Query DQS Cleansing DQS Cleansing C Export Column C Export Column	Package.dtx Design It Te 8 _{co} Control FI Fig Data Flow Farameters It Event Handlers It Package Explorer Data Flow Task: Fig OLE US It I	 Ø ∰ ✓ 	Solution Explorer Search Solution Explorer (Ctrl+;) Solution 'PracticeServices Project1' (1 proj	ب با × ۹-	.voyagers.m
itvo	· Tuty Grouping · Futy Lookup 에 Import Column 해 Percentage Sampling 타 Privat 田 Row Sampling 과 Term Extraction 에 Term Extraction 에 Term Extraction 에 Unpivot	OLE DB Source	100%	PracticeServices Project Projectparams Projectparams MODEL002_MODELAdventureV MODELAdventureV MOREA02_MODELAdventureV Moreadate Prackage Parks Prackage Parks Control Flow Miscellaneous	/orks2012.conmg	voyagers.in
	ADD Net Source CDC Source Excel Source Rev File Source Rev File Source Rev Vill Source Rev Vill Source Rev Source	Connection Manages	• ₽ ×	Tabular Model Solution Explo Team Exp Properties OLE DB Source Data Flow Component	orer Class View 국무×	
itvo	Other Destinations Other Destination	Show output from: • 출 출 출 본 않		ID 18 IdentificationString OLE DB Source IsDefaultLocale True LocaleID English (India) Name OLE DB Source Specifies the name of the component.	▲	voyagers.in
	Getting Started (SSIS) Ready				↑ Publish	

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

Step 15: Double click on OLE DB source > OLE DB Source Editor appears > CLE DB Source = CLE

Select [Sales]. [Store] table from drop down \rightarrow ok

			OLE DB Source Editor – 🗖 🗙	
itvo	Ca	onfigure the properties u	sed by a data flow to obtain data from any OLE DB provider.	gers.in
	C C E	onnection Manager olumns rror Output	Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder.	
			OLE DB <u>c</u> onnection manager:	
itua			MODEL002_MODEL.AdventureWorks2012	ters in
TUVO			Data access mode:	gersin
			Name of the table of the view	
			III [Sales].[Store]	
ιτνο				gers.in
			Pre <u>v</u> iew	
itvo	56		OK Cancel <u>H</u> elp	gers.in

Step 16: Drag ole db destination in data flow tab and connect both

itvo	PracticeServices Project1 - N File Edit Yiew Project Build Image:	icrosoft Visual Studio Debug Team_ Format_SSIS_Tools Test Analyze Window Help <ra> </ra> → Developi - Default - Start	Courick Launch (Ctrl+Q) P - & × Sign in B
itvo	SISToolbox • 4 × • Other Sources • ADO NET Source • CDC Source • CDC Source • CDC Source • CDC Source • CDE DB Source • OLE DB Source • Anw File Source • XML Source • Other Destinations • ADO NET Destination > Data Mining Model Tra • DataReader Destination ↓ Dimension Processing • Kerel Destination	Package.dtxt [Design]* * × B _o Control Flow Data Flow Data Flow Task: CLE DB Source CLE DB Destination CLE DB DEstination	Solution Explorer
itvo	 ▶ Flat File Destination ♥ OLE DB Destination ♥ Partition Processing ♥ Raw File Destination ♥ Recordset Destination ♥ SQL Server Compact D ♥ SQL Server Destination 	Connection Managers ♀ (project) MODEL002_MODELAdventureWorks2012 Output Show output from: ↓ ♀ ≤ ≤ ≥ ≈ ≈ ≈ ≈	Tabular Model Solution Explo Team Explorer Class View Properties • 4 × OLE DB Source Output Data Flow Path Common Properties Description
itvo	OLE DB Destination OLE DB Destination Loads data into an OLE DB- compliant relational database, such as SQL Server. Many types of databases are OLE DB-compliant <u>Find Samples</u> Getting Started (SSIS) Ready		Design Paths[OLE DB Source.OLE DB Paths[OLE DB Source.OLE DB Paths]OLE DB Source Output ☐ Design Name Specifies the name of the path.

itvostep 17: Double click on OLE DB destination in itvoyagers.in itvoyagers.in

Click on New to run the query to get [OLE DB Destination] in Name of the table or the view.

	.	OLE DB Destination	n Editor — 🗆	
10	Configure the properties u	ised to insert data into a relational database using an Ol	LE DB provider.	s.in itvoyagers.in
	Connection Manager Mappings Error Output	Specify an OLE DB connection manager, a data sour the SQL command access mode, specify the SQL co fast-load data access, set the table update options.	ce, or a data source view, and select the data access mode. If mmand either by typing the query or by using Query Builder	using . For
		MODEL002_MODEL.AdventureWorks2012 Data access mode:	▼ <u>N</u> ew	s in itvovagers in
Ŭ		Table or view - fast load Name of the table or the view: Image: [OLE DB Destination]	 ✓ N_Ew 	
		☐ Keep nu‼s	 ✓ Table l<u>o</u>ck ✓ Check constraints 	
0		<u>R</u> ows per batch: <u>M</u> aximum insert commit size:	2147483647	s.in itvoyagers.in
	Map the columns or	View Existing Data the Mappings page.		
o			OK Cancel <u>H</u> el	s.in itvoyagers.in
	•		tination Editor	
	Configure the properti	es used to insert data into a relational database usi	ing an OLE DB provider.	
0	Connection Manager			
D	Mappings Error Output	Available Input Name ^ BusinessEntityID Name SalesPersonID	Available Desti Name BusinessEntityID Name SalesPersonID Demographice	voyagers.in
		rowguid v	rowguid	
_		Input Column BusinessEntitvID	Destination Column BusinessEntityID	vovagers in
		Name SalesPersonID	Name SalesPersonID	.voyagers.m
		Demographics rowguid	Demographics rowguid	
0		ModifiedDate	ModifiedDate	Column dam woyagers.in
			OK Cancel	Length: 0 Scale: 0 Precision:0 HetDrie page: 0 Soft Key Poeti

itvo		OL	E DB Destination I	Editor	-1	- 🗆 🗙	voyagers.in
	Configure the properties u	used to insert data into a relational d	database using an OLE	DB provider.			
	Connection Manager	Input or Output	Column	Error	Truncation	Description	
itvo	Mappings Error Output	OLE DB Destinati		Fail component		Insert	voyagers.in
itvo							voyagers.in
itvo		<				>	voyagers.in
itvo		Set this value to selected cells:		Fail compon	ent V	<u>А</u> ррly <u>H</u> elp	voyagers.in

Click on ok

Step 18: Click on start.

itvo	PracticeServices Project 1 (Running) - Microsoft Visual Studio File Edit View Project 8 Build Debug Team Format SSIs Tools	rs in itvovagers	VIII VIII VIII VIII VIII VIII VIII VII	ers in itvoyagers.in
	Image: Construction of the second	Continue - 月 → III ■ 5 1 ℃ 1 → 1 つ 1 1 76 → 9 Appl	olication Insights 👻 📮	- 9 · · · · Ead
itvo	Package.dtx:(Design) * × & Control Flow Package Expl Data Flow Task: CLE DB CLE DB Source OLE DB Source	lorer 🜔 Progress	Tabular Medel Explorer Tabular Medel Explorer Models Models	voyagers.in
	701 rows			spilorer T
itvo	Connection Nanagas (project) MODEL002_MODELAdventureWorks2012 Calculate execution conneleted with success. Click here to switch to design mode, or select Site Autos Value Type	ao Debuging from the Debug menu. X Call Stack Name	• # × Lang ~	voyagers.in
itvo	Autos Locals Watch 1 Ready	Call Stack Breakpoints Exception Setti Command Win Immediate	e Win Output INS	voyagers.in

itvostep 195 do to squ server Management Studio itvoyagers.in itvoyagers.in

In database tab \rightarrow Adventureworks \rightarrow Right click on [dbo].[OLE DB Destination] \rightarrow Scrip Table as \rightarrow SELECT To \rightarrow New Query Editor Window



itvostep 20: Execute following query to get output. itvoyagers.in itvoyagers.in

USE [AdventureWorks2012] GO

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in /[Name] /[SalesPersonID] /[Demographics] /[rowguid] /[ModifiedDate] itvoyEROM [dbo] [OLE DB Destination]yagers.in itvoyagers.in itvoyagers.in

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in



itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in