Download resources from link given below.

https://drive.google.com/open?id=1lo8vo_S57kHNIXLn7RDYAO3-1gsR2a4i

itvoyagers in itvoyagers in itvoyagers in itvoyagers.in itvoyagers.in itvoyagers.in

Layer > Add Delimited Text Layer...

It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It It <th></th> <th>🕺 QGIS 2.0.1-Dufour</th> <th></th> <th></th> <th>- a ×</th> <th></th>		🕺 QGIS 2.0.1-Dufour			- a ×	
Two yagers.in Two		Project Edit View Layer	New	•	essing Help	1
the set of the	îtwe		Embed Layers and Groups	Ctrl+Shift+V	Ĩ₽₽₽₽₽₽₽₽	tyoyagers in
Add static layers Cu-shift did displayers Cu-shift did did did displayers Cu-shift d	12.00	// / ₿ *** •	Add Raster Layer	Ctrl+Shift+R		lese kelen suu
<pre></pre>			🖏 Add PostGIS Layers	Ctrl+Shift+D		
Wers		<u> </u>	🎤 Add SpatiaLite Layer	Ctrl+Shift+L		
Work State Later		g po Layers	隢 Add MSSQL Spatial Layer	Ctrl+Shift+M		
<pre></pre>		Vo	🖳 Add Oracle Spatial Layer	Ctrl+Shift+O		
<pre></pre>			🔩 Add Oracle GeoRaster Layer			
<pre> two yagers.in tw</pre>		6	🐔 Add SQL Anywhere Layer			
<pre>itv: @ dw/ds/star > dd/dw/ds/tart.are > dd/dw/ds/tart.are > dd/dw/ds/tart.are > dd/dw/ds/tart.are > dd/dw/ds/tart.are > dd/dw/ds/tart.are > dd/ds/tart.are > dd/ds</pre>		1	Add WMS/WMTS Layer	Ctrl+Shift+W		
<pre> twoyagers.in twoyagers.in</pre>		Pa	🚑 Add WCS Layer			
2. Add Delinited Text Layer. 0. Open Atthole Table 0. Open Kes 0. Store Ease 0. Open Kes 0. Open Kes 0. Store State 0. Open Kes 0. Store State 0. Open Kes 0. Store State 0. Store State 0. Open Kes 0. Store State 0. Store State <td></td> <td>MD</td> <td>🕼 Add WFS Layer</td> <td></td> <td></td> <td></td>		MD	🕼 Add WFS Layer			
Constants Sove Save Save Save Save Save Save Save Sa	îtwr		Po Add Delimited Text Layer			tyoyagers in
Paste style Open Attribute Table Togole Editor Sorte State Sorte State Sorte State Sorte State Content Edition Sorte State Content Edition Sorte State Content Edition Sorte State Sorte	1.0.000		Copy style			recyage sin
Image: Construct Data Image: Construct Da			Paste style			
Coveries and solutions to be a solution of the		4	Coop Attributo Table			
Tope test: Sove Layer (a) Sove Layer (b) Sove Layer (c) Ctrl+Shft+t Sove Selecton as Vector File Remove Layer (c) Ctrl+Shft+t Sove Selecton as Vector File Remove Layer (c) Ctrl+Shft+t Sove Selecton as Vector File Remove Layer (c) Sove Layer (c) Sove Layer (c) Ctrl+Shft+t Sove Selecton as Vector File Remove Layer (c) Sove Layer (c) Sove Layer (c) Ctrl+Shft+t Sove Selecton as Vector File Remove Layer (c) Sove La			// Toggle Editing			
CorrentEdia Save As Save Selection as Vector File Save Select			Save Laver Edite			
Image: Solution calls Image: Solution calls Solution calls Solution calls Solution calls Solution calls Image: Solution calls Soluti			// Orrent Edite	E.		
Save A2 Save A2 Remove Layer (s) Ctrl +D Duplicate Layer (s) Ctrl +Shrft+C Set Project CRS from Layer Properties Labeling Mid Ad to Overview Shortest path Shortest path		() ()	my current curs			
Sold Sector Layre (s) Sector Sector Layre (s) Sector Scalar (s) Ctrl+Shft+C Sector Scalar (s) Ctrl+Shft+C Sector Scalar (s) Sector Scalar (20	Save As			
Address () Circle Cir		7	Bomovio Lawor (a)	CHIAD		
Decoded by (c) Chi+Shft+C Set CRS of Layer(s) Chi+Shft+C Properties Query Labeling Shortest.path Shortest.path	The second	V°-	Duplicate Laver(c)	Curto		· · · · · · · · · · · · · · · · · · ·
Set Hole (CRS from Layer Properties Query Labeling So Add to Overview Shortest path So Type here: Hide Al Layers Ctrl+Shft+U So Type here: Ctrl+Shft+U So Type here: Ctrl+Shft+U So Coordinate: -1.796,0.950 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.162 Scale 1:1506.1	ITVO		Set CPS of Laver(s)	Ctrlashiftac		tvovagers in
Properties Query Query Query Solutions and a few of the second sec	1.00.00.00	LE <u>00</u>	Set Project CRS from Laver	Gurranitere		and he Benault
Query Labeling Shortest path Shortest path Shortest path			Properties			
→ → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → → →			Query			
% Add to Overview % Add to Overview % Shortest path % Shortest path % Shortest path % Remove All from Overview % Shortest path % % % % % % % % % % % %			Mai Labeling			
with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview with add All to Overview		Ô.	Add to Overview			
• One device: • O		Shortest nath	Add All to Overview			
Image: Show Al Layers Ctrl+Shft+U Image: Ctrl+Shft+U Image: Ctrl+Shft+U		•	Remove All from Overview		Scale 1,156,167, 1,766,050, 5724 1,156,157, 1 9 7 Dender EPS04376 0 4	a
🗮 🔿 Type here 😄 Hide All Layers Cott-Shift-HI 🛱 🔜 🙇 🌑 💆 🥰 🤪 🗭 📴 🐖 🙆 🥵 🥵 🛱			Show All Lavers	Ctrl+Shift+U		4
		O Type here	Hide All Layers	Ctrl+Shift+H	it 👝 🕗 🕐 💈 🚅 🕝 📴 🔤 🔽 🚱 😥 🕺 🖧 ^ 🛎 🥵 🖓 25-02-2019 💀	4

Browse "signif.txt" file and check on "Tab" and "Use spatial index" checkboxes and check "X field" and "Y field" are "LONGITUDE" and "LATITUDE" respectively.

	缓 Create a Layer from a Delimited Text File ? X														
itw	File Name E:/Sarvasva/QGIS/3/34/signif.txt Browse												wovagers in itvovagers in		
1.0.00	Layer name signif Encoding UTF-8												-	regagers.in nerogagers.in	
	File format			C CSV (comma separated values) . C Custom delimiters					CR	C Regular expression delimiter					
				Comm Other del	ia imiters		āb		Cuote -	ace	Colon Escape	□ Sem	icolon		
	Rec	ord opt	tions	Number of	fheader	lines to d	iscard	0 -	Fire	st record ha	as field names				
	Field	d optior	ns	Trim fie	elds 🗆	Discard	empty	fields	 Decimal	separator	is comma				
ita na	Geometry definition		Point coordinates C Well known text (WKT)			C No	O No geometry (attribute only table)			vousgore in theousgore it					
ITAd				X field LC	ONGITU	DE			Y field	LATITUDE		- DM	S coordin	ates	voyagers.m itvoyagers.m
	Layer settings			✓ Use spatial index □ Use subset index □ Watch file					□ w	Vatch file					
		I_D	FLAG		YEAR	MONTH	DAY	HOUR	MINUTE	SECOND	FOCAL_DEPTH	EQ_PRIMARY	EQ_MA	\G_▲	
	1	1			-2150							7.3			
	2	3			-2000						18	7.1			
	3	2	Tsu		-2000										
itvd	4	5877	Tsu		-1610										tvovagers in itvovagers in
1.00.00.00	5	8			-1566									-1	rejegers
	1				4 450								•	النے ا	
													-	_	
											ок	Cancel	Help		
l															

ITVoyagers (itvoyagers.in) itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

🔏 Coordinate Reference System Selector ? X	
Define this layer's coordinate reference system: This layer appears to have no projection specification. By default, this layer will now have its projection set to that of the project, but you may override this by selecting a different projection below.	
Filter Recently used coordinate reference systems	gers.initvoyagers.initvoyagers.in
Coordinate Reference System Authority ID * Generated CRS (+proj=lcc +lat_1=40.666666666666666666666666666666666666	
Coordinate reference systems of the world Hide deprecated CRSs ate Reference System Authority ID	gers.in itvoyagers.in itvoyagers.in
WGS 72 EPSG:4322 WGS 728E EPSG:4324 WGS 84 EPSG:4326 Selected CRS: WGS 84	
+proj=longlat +datum=WGS84 +no_defs	gers. In itvoyagers. In itvoyagers. In
OK Cancel Help	
QGI52.0.1-Dufour Toject Edit View Layer Settings Plugins Vector Raster Database Processing Help D D D	- • × • • • • • • • • • • • • • • • • • • •
Layers 8 ×	
	tvoyagers.in
	tvoyagers.in
y Shortest path Layers Browser	Scale Concentration States and A
	Coordinate Reference System Selector Cost Define this layer's coordinate reference system: This byer specials is have no projection specification. By defaut, this byer will now have its projection set to that of the project, but you may override this by selecting a different projection below. Filter Recently used coordinate reference systems Coordinate Reference System Coordinate Referenc

Now add "ne_10m_admin_0_countries.shp" file for that go to

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in Layer > Add Vector Layer...

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in



Select that file and click on "Open".

	🕖 Open an OGR Supported	Vector Layer		×					
	\leftarrow \rightarrow \checkmark \uparrow \square « 5	> ne_10m_admin_0_countries V 0	Search ne_10m_admin_0_cou 🔎						
itvd	Organize 🔻 New folde	er			gers in itvovagers in itvovagers in				
1.00.00.00	This PC	Name	Date modified	Туре	geraam inte jegeraam inte jegeraam				
	3D Objects	ne_10m_admin_0_countries.cpg	21-05-2018 00:24	CPG File					
	Desktop	ne_10m_admin_0_countries.dbf	21-05-2018 00:24	DBF File					
	Documents	📄 ne_10m_admin_0_countries.prj	21-05-2018 00:24	Turbo C++					
	Downloads	O ne_10m_admin_0_countries.README.html	21-05-2018 00:24	Opera Web Docu					
	> Dowinoads	ne_10m_admin_0_countries.shp	21-05-2018 00:24	SHP File					
	J) Music	ne_10m_admin_0_countries.shx	21-05-2018 00:24	SHX File					
	Pictures	ne_10m_admin_0_countries.VERSION.txt	21-05-2018 00:24	Text Document					
	Videos								
ITV6	🏪 Local Disk (C:)				gers in itvovagers in itvovagers in				
1.00.00.00	New Volume (E:)				Bergenning he Bergenning he Bergennin				
	HP_TOOLS (F:)								
	💣 Network 🗸 🗸	<		>					
	File na	ame: ne_10m_admin_0_countries.shp	 All files (*) Open 	Cancel					

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

	缓 Add vector layer	?	×	
	Source type			
	• File C Directory C Database C Protocol			
ita na	Encoding System		•	gene in itranspore in itranspore i
TUVO	Source			gers.init.voyagers.init.voyagers.i
	Dataset /ne_10m_admin_0_countries/ne_10m_admin_0_countries.shp	Browse		
	Open Cancel	He	lp	
itvo	yagers.in itvoyagers.in it	ive	syc	agers.in itvoyagers.in itvoyagers.i

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in



Once both files are loaded go to

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in



Set all values as shown below and set path and name for output file and click itvoorgers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

ITVoyagers (<u>itvoyagers.in</u>) itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

	💋 Count Points in Polygon	?	×	
	Input polygon vector layer			
itud	ne_10m_admin_0_countries		•	in ituovagers in ituovagers in
LCA.	Input point vector layer			
	signif		-	
	Output count field name PNTCNT			
itvo				.in itvoyagers.in itvoyagers.in
itvo	Output Shapefile E:/Sarvasva/QGIS/7/c/out.shp 0% OK		Browse	.in itvoyagers.in itvoyagers.in

If it shows following error then don't worry just click "OK".

itvo	QGIS 2.0.1-Dufour Project Edit View Layer Settings Plugins Vector Raster Da Image: Image Settings Plugins Vector Raster Da Image Setting Plugins Plugins Plugins Vec	tabase Processing Help to the transmission of transmission of the transmission of the transmission of transmission of the transmission of trans	A A C	× 💦 - 1 3 5	╡╧╺┍╴╡	·] • %?	- 0 X	tvoyagers.in
itvo	Layers Ø × Vo Image: Display the second		Count Points in Polygon Input polygon vector layer Input polygon vector layer Input polytyctor layer Input polytyctor layer Input Information Information Input Information Input Information Input Information Informatio Information Information Informatio Information Info	?				tvoyagers.in tvoyagers.in
			10	loss on rates. I	-103.7/07.3	Scale 1:130133760 • 2		1

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

Now please wait it will take time to process.

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in



Our output has been loaded.

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in



itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

We can see that it has "PNTCNT" attribute.



itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in



And click on any feature it will display the details of it.

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in

itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in itvoyagers.in