


Installation of mongoDB.

Download mongoDB from link -> [Download mongoDB](#)




Click on Download.


You will get following installer, Double click on it to start installation.




mongodb-win32-x86_64-2008plus-ssl-4.0.10-signed.msi




Click on “Next”.




Click on “Next”.




Click on **“Complete”**



Click on **“Next”**




Click on "Next"




Click on "Install"

Now add the following path to PATH variable of your Environment Variables

“C:\Program Files\MongoDB\Server\4.0\bin\”.



Now once the PATH variable is set open “cmd” and type “mongo” and click enter to run the mongoDB.



```
Select Command Prompt - mongo
C:\Users\Welcome>mongo
MongoDB shell version v4.0.10
connecting to: mongodb://127.0.0.1:27017/?gssapiServiceName=mongod
Implicit session: session { "id" : UUID("0401a770-0158-4970-b42d-51ddf3b3adeb") }
MongoDB server version: 4.0.10
Server has startup warnings:
2019-07-30T22:56:33.848+0530 I CONTROL [initandlisten]
2019-07-30T22:56:33.848+0530 I CONTROL [initandlisten] ** WARNING: Access control is not enable
d for the database.
2019-07-30T22:56:33.848+0530 I CONTROL [initandlisten] **          Read and write access to dat
a and configuration is unrestricted.
2019-07-30T22:56:33.848+0530 I CONTROL [initandlisten]
---
Enable MongoDB's free cloud-based monitoring service, which will then receive and display
metrics about your deployment (disk utilization, CPU, operation statistics, etc).

The monitoring data will be available on a MongoDB website with a unique URL accessible to you
and anyone you share the URL with. MongoDB may use this information to make product
improvements and to suggest MongoDB products and deployment options to you.

To enable free monitoring, run the following command: db.enableFreeMonitoring()
To permanently disable this reminder, run the following command: db.disableFreeMonitoring()
---
```

If we get this then our mongoDB is running properly.

```
Select Command Prompt - mongo
C:\Users\Welcome>mongo
MongoDB shell version v4.0.10
connecting to: mongod://127.0.0.1:27017/?gssapiServiceName=mongod
Implicit session: session { "id" : UUID("0401a770-0158-4970-b42d-51ddf3b3adeb") }
MongoDB server version: 4.0.10
Server has startup warnings:
2019-07-30T22:56:33.848+0530 I CONTROL [initandlisten]
2019-07-30T22:56:33.848+0530 I CONTROL [initandlisten] ** WARNING: Access control is not enabled for the database.
2019-07-30T22:56:33.848+0530 I CONTROL [initandlisten] **          Read and write access to data and configuration is unrestricted.
2019-07-30T22:56:33.848+0530 I CONTROL [initandlisten]
---
Enable MongoDB's free cloud-based monitoring service, which will then receive and display metrics about your deployment (disk utilization, CPU, operation statistics, etc).

The monitoring data will be available on a MongoDB website with a unique URL accessible to you and anyone you share the URL with. MongoDB may use this information to make product improvements and to suggest MongoDB products and deployment options to you.

To enable free monitoring, run the following command: db.enableFreeMonitoring()
To permanently disable this reminder, run the following command: db.disableFreeMonitoring()
---
>
```

You can also follow the steps in link below.

[Installation of mongoDB](#)